

SPECIFICATIONS

Variant	P2 (48V)		P4/P6 (48V)
Body Type	Hatchback		
Seating Capacity	4		
Battery			
Capacity	280 Ah	210 Ah	
Technology	Lithium Ion		
No. of Module	16		
No. of Cells	64	48	
On-board power	15 kWhr	11 kWhr	
Battery Weight	112 kg	84 kg	
Gear Box			
Type	Direct Drive		
No. of Forward Modes	2		
Gear Rotation	10.83:1		
Motor			
Construction	3 Phase AC Induction Motors		
Power	19KW @ 3500 rpm		
Torque	70Nm @ 1000 rpm		
Controller	600 Amp		
Dimensions			
Overall Length	3590 mm		
Overall Width	1575 mm		
Overall Height	1585 mm		
Ground Clearance*	170 mm		
Wheel Base	2258 mm		
Track	1312 mm		
Boot Space	135 Itrs		
Weight			
Unladen Kerb Weight	937 kg	932 kg	940 kg
Gross Weight	1257 kg	1252 kg	1260 kg
Brakes			
Front	Disc		
Rear	Drum		
Parking Brake	Manual		
Steering			
Assisted	Electric		
Turning Radius	4.35		
No. of Steering Wheel turn	4 turns		

Variant	P2 (48V)		P4/P6 (48V)
Suspension			
Front	Mac Pherson Strut Type Independent Suspension With Coaxial Spring.		
Rear	Twin Pivot Trailing Arm With Coaxial Spring Damper		
Tyre			
Wheel Rim Size	14"		
Tyre Dimension	165/60/R14 - 79T		
Spare Wheel	155/70/R13 - 75T		
Range			
Driving Range	140 km	110 km	
Standardised Consumption	88 WH		
Revive	5 km		
Charging @ 30 Degree Celsius			
3 KW single Phase 16 Amp Charger	7 hrs 20 min	6 hrs	
10 KW 3 Phase 32 Amp Charger (0-80%)	1hr 35 min	Not Available	
Performance			
Gradability	10 deg		
Top Speed	80 kmph		
0-40 KMPH	6.3 sec		
0-60 KMPH	14.1 sec		
Warranty			
Car	3 years/60000 km**		
Battery	3 years/60000 km**		

*In Ride height (D+1) condition **whichever is earlier

COLOURS



Coral Blue



Sparkling Wine



Arctic Silver



Solid White

